ELSEVIER

Neuroscience Letters 313 (2001) 164–165

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 313

Volume 313, nos. 1–2

Guidelines for the submission of manuscripts v

Re-evaluating NADPH-diaphorase histochemistry as an indicator of nitric oxide synthase: an examination of the olfactory system of coho salmon (*Oncorhynchus kisutch*)
S.C. Lema, G.A. Nevitt (USA) 1

Dissociation of supplementary motor area and primary motor cortex in human subjects when comparing index and little finger movements with functional magnetic resonance imaging
M. Erdler, C. Windischberger, R. Lanzenberger, V. Edward, A. Gartus, L. Deecke, R. Beisteiner (Austria) 5

Activation of protein kinase C delays apoptosis of nerve growth factor-deprived rat sympathetic neurons through a Ca^{2+}-influx dependent mechanism
S. Tanaka, T. Koike (Japan) 9

Chicken pineal *Cry* genes: light-dependent up-regulation of *cCry1* and *cCry2* transcripts
K. Yamamoto, T. Okano, Y. Fukada (Japan) 13

Different representations of inescapable noxious stimuli in the periaqueductal gray and upper cervical spinal cord of freely moving rats
K.A. Keay, C.I. Clement, A. Depaulis, R. Bandler (Australia, France) 17

Role of potassium channels in the relaxation induced by the nitric oxide (NO) donor DEA/NO in the isolated rat basilar artery
R.G. Hempelmann, J. Seebeck, M.-L. Kruse, A. Ziegler, H.M. Mehdorn (Germany) 21

Immunological heterogeneity of synaptic and extrasynaptic forms of non-erythroid α-spectrin in the rat retina
F. Schmitz (Germany) 25

Cerebral serotonin depletion induces egocentric learning improvement in developing rats
E. Olvera-Cortés, M. Barajas-Pérez, A. Morales-Villagrán, I. González-Burgos (Mexico) 29

Age-related decrease in paired-pulse intracortical inhibition in the human primary motor cortex
A. Peinemann, C. Lehner, B. Conrad, H.R. Siebner (Germany, UK) 33

Modulation of nicotinic acetylcholine receptor turnover by tyrosine phosphorylation in rat myotubes
A. Sava, I. Barisone, D. Di Mauro, G. Fumagalli, C. Sala (Italy) 37

Inflammatory cytokine levels are influenced by interactions between THP-1 monocytic, U-373 MG astrocytic, and SH-SY5Y neuronal cell lines of human origin
A. Klegeris, P.L. McGeer (Canada) 41

Marker gene polymorphisms in hyperkinetic disorder – predictors of clinical response to treatment with methylphenidate?
G. Seeger, P. Schloss, M.H. Schmidt (Germany) 45

Bladder inflammation and hypogastric neurectomy influence uterine motility in the rat
N. Dmitrieva, O.L. Johnson, K.J. Berkley (USA) 49

Epidermal growth factor down-regulates connexin-43 expression in cultured rat cortical astrocytes
T. Ueki, M. Fujita, K. Sato, K. Asai, K. Yamada, T. Kato (Japan) 53

Impaired response to chemical irritation of the urinary tract in mice with disruption of the preprotachykinin gene
S. Kiss, M. Yoshiyama, Y.Q. Cao, A.I. Basbaum, W.C. de Groat, A. Lecci, C.A. Maggi, L.A. Birder (USA) 57

Oleamide modulates memory in rats
E. Murillo-Rodríguez, M. Giordano, R. Cabeza, S.J. Henriksen, M. Méndez Díaz, L. Navarro, O. Prospéro-García (Mexico, USA) 61

Neuroactive steroids modulate crustacean locomotor activity
M.J. Snyder, H.V.S. Peeke (USA) 65

Influence of the prion protein and the apolipoprotein E genotype on the Creutzfeldt–Jakob Disease phenotype
B. Van Everbroeck, E.A. Croes, P. Pals, B. Dermaut, G. Jansen, C.M. van Duijn, M. Cruts, C. Van Broeckhoven, J.-J. Martin, P. Cras (Belgium, The Netherlands) 69

Melatonin inhibits high voltage activated calcium currents in cultured rat dorsal root ganglion neurones
A. Ayar, D.J. Martin, M. Ozcan, H. Kelestimur (Turkey, UK) 73

ELSEVIER

Neuroscience Letters 313 (2001) 164–165

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 313

Volume 313, nos. 1–2

Guidelines for the submission of manuscripts v

Re-evaluating NADPH-diaphorase histochemistry as an indicator of nitric oxide synthase: an examination of the olfactory system of coho salmon (*Oncorhynchus kisutch*)
S.C. Lema, G.A. Nevitt (USA) 1

Dissociation of supplementary motor area and primary motor cortex in human subjects when comparing index and little finger movements with functional magnetic resonance imaging
M. Erdler, C. Windischberger, R. Lanzenberger, V. Edward, A. Gartus, L. Deecke, R. Beisteiner (Austria) 5

Activation of protein kinase C delays apoptosis of nerve growth factor-deprived rat sympathetic neurons through a Ca^{2+}-influx dependent mechanism
S. Tanaka, T. Koike (Japan) 9

Chicken pineal *Cry* genes: light-dependent up-regulation of *cCry1* and *cCry2* transcripts
K. Yamamoto, T. Okano, Y. Fukada (Japan) 13

Different representations of inescapable noxious stimuli in the periaqueductal gray and upper cervical spinal cord of freely moving rats
K.A. Keay, C.I. Clement, A. Depaulis, R. Bandler (Australia, France) 17

Role of potassium channels in the relaxation induced by the nitric oxide (NO) donor DEA/NO in the isolated rat basilar artery
R.G. Hempelmann, J. Seebeck, M.-L. Kruse, A. Ziegler, H.M. Mehdorn (Germany) 21

Immunological heterogeneity of synaptic and extrasynaptic forms of non-erythroid α-spectrin in the rat retina
F. Schmitz (Germany) 25

Cerebral serotonin depletion induces egocentric learning improvement in developing rats
E. Olvera-Cortés, M. Barajas-Pérez, A. Morales-Villagrán, I. González-Burgos (Mexico) 29

Age-related decrease in paired-pulse intracortical inhibition in the human primary motor cortex
A. Peinemann, C. Lehner, B. Conrad, H.R. Siebner (Germany, UK) 33

Modulation of nicotinic acetylcholine receptor turnover by tyrosine phosphorylation in rat myotubes
A. Sava, I. Barisone, D. Di Mauro, G. Fumagalli, C. Sala (Italy) 37

Inflammatory cytokine levels are influenced by interactions between THP-1 monocytic, U-373 MG astrocytic, and SH-SY5Y neuronal cell lines of human origin
A. Klegeris, P.L. McGeer (Canada) 41

Marker gene polymorphisms in hyperkinetic disorder – predictors of clinical response to treatment with methylphenidate?
G. Seeger, P. Schloss, M.H. Schmidt (Germany) 45

Bladder inflammation and hypogastric neurectomy influence uterine motility in the rat
N. Dmitrieva, O.L. Johnson, K.J. Berkley (USA) 49

Epidermal growth factor down-regulates connexin-43 expression in cultured rat cortical astrocytes
T. Ueki, M. Fujita, K. Sato, K. Asai, K. Yamada, T. Kato (Japan) 53

Impaired response to chemical irritation of the urinary tract in mice with disruption of the preprotachykinin gene
S. Kiss, M. Yoshiyama, Y.Q. Cao, A.I. Basbaum, W.C. de Groat, A. Lecci, C.A. Maggi, L.A. Birder (USA) 57

Oleamide modulates memory in rats
E. Murillo-Rodríguez, M. Giordano, R. Cabeza, S.J. Henriksen, M. Méndez Díaz, L. Navarro, O. Prospéro-García (Mexico, USA) 61

Neuroactive steroids modulate crustacean locomotor activity
M.J. Snyder, H.V.S. Peeke (USA) 65

Influence of the prion protein and the apolipoprotein E genotype on the Creutzfeldt–Jakob Disease phenotype
B. Van Everbroeck, E.A. Croes, P. Pals, B. Dermaut, G. Jansen, C.M. van Duijn, M. Cruts, C. Van Broeckhoven, J.-J. Martin, P. Cras (Belgium, The Netherlands) 69

Melatonin inhibits high voltage activated calcium currents in cultured rat dorsal root ganglion neurones
A. Ayar, D.J. Martin, M. Ozcan, H. Kelestimur (Turkey, UK) 73

Effect of L-carnosine on the hyperglycemia caused by intracranial injection of 2-deoxy-D-glucose in rats
T. Yamano, A. Niijima, S. Iimori, N. Tsuruoka, Y. Kiso, K. Nagai (Japan) 78
SorCS1, a member of the novel sorting receptor family, is localized in somata and dendrites of neurons throughout the murine brain
G. Hermey, I.B. Riedel, M. Rezgaoui, U.B. Westergaard, C. Schaller, I. Hermans-Borgmeyer (Denmark) 83
Urinary 11-dehydro-thromboxane B_2 and coagulation activation markers measured within 24 h of human acute ischemic stroke
J.P. McConnell, L.A. Cheryk, A. Durocher, A. Bruno, N.U. Bang, J.D. Fleck, L. Williams, J. Biller, J.F. Meschia (USA) 88
A novel presenilin mutation (M233V) causing very early onset Alzheimer's disease with Lewy bodies
H. Houlden, R. Crook, R.J. Dolan, J. McLaughlin, T. Revesz, J. Hardy (USA, UK) 93
Kynurenic acid levels are elevated in the cerebrospinal fluid of patients with schizophrenia
S. Erhardt, K. Blennow, C. Nordin, E. Skogh, L.H. Lindström, G. Engberg (Sweden) 96
Expression of *vesl-1S/homer-1a*, a gene associated with long-term potentiation, in the brain of the epileptic El mouse
R. Morioka, A. Kato, Y. Fueta, H. Sugiyama (Japan) 99
Levels of transcription factors AP-2α and AP-2β in the brainstem are correlated to monoamine turnover in the rat forebrain
M. Damberg, M. Eller, M. Tõnissaar, L. Oreland, J. Harro (Sweden, Estonia) 102
Amyloid β secretase gene (BACE) is neither mutated in nor associated with early-onset Alzheimer's disease
M. Cruts, B. Dermaut, R. Rademakers, G. Roks, M. Van den Broeck, G. Munteanu, C.M. van Duijn, C. Van Broeckhoven (Belgium, The Netherlands) 105
Early-onset Parkinson's disease associated with a new parkin mutation in a Spanish family
V. Alvarez, L.M. Guisasola, V.G. Moreira, C.H. Lahoz, E. Coto (Spain) 108

Contents continued 111

Volume 313, no. 3

The nicotinic α subunit MARA1 is necessary for cholinergic evoked calcium transients in *Manduca* neurons
A. Vermehren, S. Qazi, B.A. Trimmer (USA) 113
ATP-induced mitogenesis is modulated by phospholipase D2 through extracellular signal regulated protein kinase dephosphorylation in rat pheochromocytoma PC12 cells
C.S. Lee, Y.-S. Bae, S.D. Lee, P.-G. Suh, S.H. Ryu (South Korea) 117
Profiles of glutamate and GABA efflux in core versus peripheral zones of focal cerebral ischemia in mice
X. Wang, M. Shimizu-Sasamata, M.A. Moskowitz, R. Newcomb, E.H. Lo (USA, Japan) 121
Decreased brain histamine content in hypocretin/orexin receptor-2 mutated narcoleptic dogs
S. Nishino, N. Fujiki, B. Ripley, E. Sakurai, M. Kato, T. Watanabe, E. Mignot, K. Yanai (USA, Japan) 125
Group I metabotropic glutamate receptors control phosphorylation of CREB, Elk-1 and ERK via a CaMKII-dependent pathway in rat striatum
E.S. Choe, J.Q. Wang (USA) 129
Involvement of interleukin-1β/nitric oxide pathway in the postischemic impairment of long-term potentiation of the rat hippocampus
H. Togashi, K. Mori, Y. Itoh, M. Matsumoto, K.-i. Ueno, S. Ohashi, H. Otani, M. Yoshioka (Japan) 133
Huperzine A attenuates cognitive deficits and hippocampal neuronal damage after transient global ischemia in gerbils
J. Zhou, H.Y. Zhang, X.C. Tang (People's Republic of China) 137
Temperature dependence of non-linear capacitance in human embryonic kidney cells transfected with prestin, the outer hair cell motor protein
J. Meltzer, J. Santos-Sacchi (USA) 141
Intracerebroventricular injection of neuropeptide FF, an opioid modulating neuropeptide, acutely reduces food intake and stimulates water intake in the rat
D. Sunter, A.K. Hewson, S. Lynam, S.L. Dickson (UK) 145
Effect of central urocortin on carbon tetrachloride-induced acute liver injury in rats
S. Yokohama, M. Yoneda, H. Watanobe, T. Kono, K. Nakamura, I. Makino, A. Terano (Japan) 149
Upregulation of the pro-apoptotic BH3-only peptide harakiri in spinal neurons of amyotrophic lateral sclerosis patients
T. Shinoe, A. Wanaka, T. Nikaido, K.-y. Kanazawa, J. Shimizu, K. Imaizumi, I. Kanazawa (Japan) 153
Pretreatment circadian period in free-running blind people may predict the phase angle of entrainment to melatonin
A.J. Lewy, B.P. Hasler, J.S. Emens, R.L. Sack (USA) 158

Author Index to Volume 313 161
Contents to Volume 313 164